

360 TOWERLIGHT HEAD

3M TRIPOD

This robust, innovative, 110V floodlight features a high lumen output of 84,000 lm and 360° light distribution, also can be linked to two additional TowerLight's for extra coverage, making it an incredibly efficient solution for site lighting.



Features

- 84000 lm, ideal for large spaces
- Interlink two additional towerlights
- 300W (3 Head) version available as special order
- 20 lux over 2800 m² at height of 3m
- Adjustable for 180° and 360° light distribution
- Tripod adjustable to 3 metres
- 10m rubber power cable & carry bag
- Supplied with inline dimmer and on off switch
- Integrated photocell with on/off switch



Specification

| Code | Description | Lumen Output | Emergency Lumen Output | Wattage | Efficacy |
|------------|--------------------------|--------------|------------------------|---------|----------|
| TWL360-600 | 360 TowerLight 600W Head | 84,000 lm | | 600W | 140 lm/w |

Product Information

| | |
|---------------------------|---------------|
| Guarantee | 3 Years |
| Colour Appearance (CCT) | 6500K |
| IP Rating | IP65 |
| IK Rating | IK08 |
| Voltage | 100-240V |
| Material (Body/Housing) | Aluminium |
| Material (Diffuser/Cover) | Polycarbonate |
| Colour Rendition (CRI) | >80 |

| | |
|---------------------|---------------|
| Colour Finish | Yellow |
| Power Factor | 0.9 |
| Frequency | 50/60Hz |
| Driver Type | Dimmable |
| Approval | UKCA CE |
| Electrical Class | Class I |
| Working Temperature | -20°C to 45°C |

360 TOWERLIGHT HEAD

3M TRIPOD

Packaging Information

| | |
|-------------------------|-----------------------------|
| Dimensions (mm) | L: 286 x W: 298 x D: 435 mm |
| Product Net Weight (kg) | 14.5 kg |
| Barcode | 5055807626354 |
| Units/Outer Carton | 1 |

| | |
|--------------------------------|-----------------------------|
| Outer Carton Barcode | 5055807626354 |
| Outer Carton Dimensions (mm) | L: 330 x W: 300 x D: 505 mm |
| Outer Carton Gross Weight (kg) | 14.5 kg |



ENERGY

TWL360-600

| | |
|---|---|
| A | |
| B | |
| C | |
| D | |
| E | ← |
| F | |
| G | |

600 kWh/1000h